



FORMERLY BIBLIOGRAPHY  
OF INDIAN FISHERIES

# INDIAN FISHERIES ABSTRACTS

Volume 17 Nos. 3 & 4

July-December 1978

CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
BARRACKPORE, WEST BENGAL



11111111

11111111

11111111



INDIAN FISHERIES ABSTRACTS

(Formerly Bibliography of Indian Fisheries)

Volume : 17, No. 3&4

July - December, 1978

---

Compiled & by: B.N.Saigal  
Abstracted | G.K.Vinci  
M.J.Bhagat  
V.V.Sugunan  
V.K.Unnithan

Bibliographic | by: Anjali De  
details & Sukla Das  
Indexing

Typing : Ujjwal Ghosh

---

A service from

The Information Section

Central Inland Fisheries Research Institute

Barrackpore, Pin : 743 101

---





# INDIAN FISHERIES ABSTRACTS

(Indian Fish. Abstr.)

## CONTENTS

I	Entries	31 - 73
II	Author Index	1 - 7
III	Subject Index	1 - 4
IV	Taxonomic Index	1 - 4
V	Serial Index	1 - 4

I have been thinking of you

(with a smile)

My dear

Dear Sir,

I have the pleasure

to acknowledge the receipt

of your letter of the 10th



- 126 Agarwal S.K. and I.A.Niazi 1977.  
 (1. Department of Zoology, Meerut College,  
 Meerut 250 001, India,  
 2. Developmental Biology section, Department  
 of Zoology, University of Rajasthan,  
 Jaipur 302004, India).
- Normal table of developmental stages of the  
 Indian bull frog Rana tigrina Daud.  
 (Ranidae, Anura, Amphibia).  
Proc. Nat. Acad. Sci. 47 B(2) : 79-92.
- 127 Agrawal, Pradeep 1978.  
 (Department of Zoology, M.M.(P.G.).College,  
 Modinagar, 201204, District Ghaziabad(U.P.).  
 and Department of Zoology, DAV College,  
 Muzaffarnagar (U.P.), India.  
 Alloxan induced leukoid condition in a  
 fresh water teleost Clarias batrachus.  
Curr. Sci. 47(15) : 559-560.
- 128 Aguiar, Annabelle & Joe D'Souza 1977  
 (Centre of Post-graduate Instruction and  
 Research (University of Bombay) Panaji 403001,  
 Goa.)  
 Studies on photosynthetic bacteria : 1  
 Ecology of photosynthetic bacteria in aquatic  
 environment in Goa.  
Mahasagar 11(1-2) : 21-28.
- Authors isolated photosynthetic bacteriae  
 green sulphur bacteria, purple sulphur bacteria and non-  
 sulphur purple bacteria from mud samples under anaerobic  
 conditions. The mud samples were collected to study the  
 ecology of the bacteria present.



- 138 Bhanderi, P.F. 1974  
 (Marine Biological Research Station, Port  
 Okha, India)-  
 Culture of the agar yielding sea weeds on  
 ropes from Gujarat.  
J.mar.biol.Ass.India, 16(3) : 847-849
- 139 Bhatnagar, Gyan Prakash & A.Purushothaman 1978.  
 (Centre of Advanced study in Marine biology,  
 Porto Novo, Tamil Nadu, India).  
 Chlorophyll ratios in vellar estuary S.India.  
Nat.Acad.Sci.Letters 1(5) : 195-197.
- Author finds, chlorophyll-a as the dominant  
 pigment at all places and chlorophyll-b as a small  
 fraction always. Large variations in the ratios of  
 chlorophyll b/a and c/a were observed.
- 140 Bhattacharya, S.K., D.R.Choudhuri & A.N.Bose 1978.  
 (Department of Food Technology and Biochemical  
 Engineering, Jadavpur University, Calcutta-  
 700 032, India).  
 Preservation of Bombay duck (Harpodon  
nehereus) and rohu (Labeo rohita by Gamma  
 irradiation. (Fish.Technol 15(1) : 21 -25)  
 .. 19 ref.
- 141 Bhowmick, Utpal 1978.  
 (CIFRI Barrackpore, West Bengal, India).  
 Abanchita, Khatikar jalaja aagacha theke  
 pukur mukta rakhun (in Bengali).  
 Weeds are generally menace in fish ponds  
 and remove them).  
Nabanya Bharati, 10(11-12) : 858-863.



- 142 Biswas, K.P. 1978

(Coordinated Research Project on Utilisation of Trash Fish Kujang, Paradeep, India).

On the trend of prawn catch off Paradeep.

Fish. Technol. 15(1) : 37-43.

The distribution and landings of important varieties of prawns off Paradeep coast, Orissa, in relation to the climatic and hydrographic condition from 1970-76 are presented.

... 3 ref

- 143 Bohra, O.P., S.D. Misra & S.C. Bhargava 1978.

(Department of Zoology, University of Jodhpur, Jodhpur 342001, India).

Occurrence of a thermocline in two lakes of the semi arid region in Western Rajasthan, India. Hydrobiologia, 59(3) : 203-211.

Fifteen months water temperature data of vertical profile of the two lakes, Padma sagar and Ranisagar in Western Rajasthan are discussed. 40 ref.

- 144 Chakraborty, Deviprasanna 1978.

(CIFRI, Barrackpore, West Bengal, India)

Matsya chase sarer proyojananiyata (in Bengali) Fertilisation of ponds augments fish production.

Nabanya Bharati, 10(11-12) : 841-843.

- 145 Chandra, Ravish 1976.

On the occurrence of Psilorhynchus sucatio (Ham.) in the river Ganga at Allahabad and Buxar with notes on the distribution of Psilorhynchus spp.

Matsya, 2 : 81.

- 146 Chasibhai 1978.

Bharsar jaladharaye ki karben (In bengali).

Nabanya Bharati 10(11-12) : 879-881.



- 147 Chatterji, A., A.Q. Siddiqui and A.A. Khan 1978.  
 (Department of Zoology, Kenyatta University,  
 P.O.Box 43844, Nairobi, Kenya).  
 Food and feeding habits of Labeo gonius  
 (Ham.) from the River Kali.  
J. Bombay nat. Hist. Soc. 75(1) : 104-109.  
 ... 2 ref.
- 148 Chaturvedi, U.K. and U.C. Pandey 1976.  
 (Department of Bombay, Bareilly College,  
 Bareilly, India).  
 A list of blue-green and green algae from  
 Rohilkhand division, U.P., India-IV.  
Thykos, 15(1&2) : 127-131.
- 149 Chetty C. sreeramulu, W. Rajendra, K. Indira & K.S. Swami 1978  
 (Department of Zoology, Sri Venkateshwara  
 University, Tirupati, 517502, India).  
 In Vitro effects of organochlorine pesticide (DDT)  
 on catalytic potential of SDH in gastrocnemius  
 muscle of frog, Rana hexadactyla.  
Curr. Sci. 47(22) : 842-844.  
 The effect of organochlorine pesticide on  
 catalytic potential of succinic dehydrogenase enzyme  
 (EC1.3.99.1) in gastrocnemius muscle of frog, Rana hexadactyla  
 has been studied.  
 ... 12 ref.
- 150 Chondar, S.L. 1976  
 (Inland Fisheries Training Centre,  
 Institute of Fisheries Education,  
 Barrackpore (India).  
 Meristic and non meristic characters in  
 analysis of races of Gadusia chapra (Ham.)  
Agra. Univ. J. Res. 25(1) : 103-124.  
 In this paper the author differentiated the  
Gadusia chapra population of Keet'an lake from that of  
 Ganga River through a number of morphometric and  
 meristic characters.  
 .. 17 ref.



- 151 Cochin, Central Marine Fisheries Research Institute 1977  
 Summer Institute in Breeding and Rearing of  
 marine prawns held at CMFRI, from 11 May to  
 9 June 1977 (CMFRI Special Publication No.3)  
 128 p.

This is the compilation of lectures made  
 during the Summer Institute in Breeding and Rearing of  
 Marine prawns at Central Marine Fisheries Research  
 Institute, Cochin.

- 152 Daniel, A; A.K. Nagabhushanar and I. Krishnamurthy.  
 (Marine Biological Station, Zoological  
 Survey of India, Madras -28)  
 On the occurrence of "Greenish yellow water"  
 phenomenon caused by the swarming of Tricho-  
desmium erythraeum Ehrenburg, in the Sea off  
 Madras and its effect on the local marine  
 fauna.  
J. Bombay nat. Hist. Soc. 75(1) : 88-95.

...22 ref.

- 153 Daniel, A. and T. Sivanandam 1977.  
 (Marine Biological Station, Zoological  
 Survey of India, 69 Santhome High Road,  
 Madras - 600 028).  
 Record of the benthic leucosiid crab, Randallia  
oburnea Alcock in the northern Arabian Sea.  
J. Bombay nat. Hist. Soc. 75(1) : 237-238.

...7ref.

- 154 Das Gopal 1978.  
Machachaseer O matsya sibideer bhabishayt  
(in bengali).  
Nabanya Bharati 10(11-12) : 879-881.

- 155 Das, Haripada 1978  
 (National Institute of Oceanography,  
 Dona paula-403 004, Goa, India).  
 Caloric values of the ingested food of the  
 grey mullet Mugil cephalus Linnaeus.  
Mahasagar : 11(1&2) : 91-94.

Estimation of organic carbon of the fish  
M. cephalus L. and its ingested food were made. The ratio  
 of body carbon to ingested food carbon ranged between  
 2 to 7. The average percentage of organic carbon of the fish  
 was 45.86. There was an inverse relationship between  
 the body carbon and food carbon.

...10 ref.



- 156 Das, Hari pada 1978  
 (National Institute of Oceanography, Dona  
 Paula-403004, Goa.)  
 Maturity and spawning in Mugil cephalus  
 Linnaeus in Goa waters.  
Mahasagar, 11(1&2) : 63-71.  
 ...21ref.
- 157 Das, Punyabrata 1978.  
 (CIFRI, Barrackpore, West Bengal, India).  
Matsyachaase baiganik padhyati deshe  
matsya biplab ante jachhe (in bengali).  
 Modern fish farming can revolutionise  
 country's fish production.  
Nabanya Bharati, 10(11-12): 877-874.
- 158 Das, S.M. 1978.  
 (Aloka Niwas, T.C. New Civil lines, Lucknow,  
 India).  
 High pollution in lake Nainital, Uttar  
 Pradesh as evidenced by biological indicators.  
Sci. & Cult. 44(5) : 236-237.  
 Author reports the effects of pollution in  
 living animals of Nainital lake, U.I.  
 ...13 ref.
- 159 Das, S.M. and Jyotsna Dandey 1978.  
 (D.S.B. College, Kumaun University,  
 Nainital, India).  
 Some physico-chemical and biological indicators  
 of pollution in lake, Nainital, Kumaun (U.I.)  
Indian J. Ecol. 5(1) : 7-16.  
 Investigations showed that the pollution zone  
 extended up to one hundred metres from Mallital shore.  
 The extent ~~xxx~~ of toxicity of polluted water was studied  
 on a fish Lutius conchonus.  
 ...12 ref.



- 160 Das, S.M. and S.S. Pathani 1978.  
 (Chief Investigator, CSIR, Maha Geer Scheme, Junior Research Fellow, CSIR, Department of Zoology).  
 Studies on the biology of the Kumaun Mahaser (Tor putitora Hamilton) : Adaptation of the alimentary tract in relation to feeding habits body length and body weight.  
Indian J. Anim. Sci. 48(6) : 461-465.  
T. putitora is a herbi-omnivore, and an evolutionary transition stage from herbivorous to omnivorous habit was evidenced both by structure of gut and by food studies. ...15 ref.
- 161 David, A. & K.V. Rajagopal 1975  
 (Fisheries College University of Agricultural Sciences, Mangalore-1, India).  
 Food and feeding relationships of some commercial fishes of the Tungabhadra reservoir.  
Troc. Indian nat. Sci. Acad. 41(1) : 61-74.  
 Food and feeding relationships of Tuntius kolus, I. pulchellus, I. sarana, Tor sp., Labeo fimbriatus, L. calbasu, Catla catla, Osteobrama vigorsii, and Notopterus notopterus were given. ...13 ref.
- 162 De, Dilip Kumar 1978.  
 (CIFRI, Barrackpore, West Bengal)  
Bijanvithic mattsya bijer uthpadan lavjanak (in Bengali)  
 Scientific raising of fish seed is forofitable  
Nabanya Bharati, 10(11-12) : 844-850.
- 163 De, Minu 1978.  
Matsyabhab mokabilaya umata prathya Chingrir chasa Karun (in bengali).  
Nabanya Bharati 10(11-12) : 887-890.

- 164 Devadasan, K., T.R.G. Varma and R. Venkataraman 1978.  
(Central Institute of Fisheries Technology,  
Cochin 682029, India).  
Studies on frozen storage characteristics of  
fillets from six species of fresh water fishes.  
Fish. Technol. 15(1) : 1-6.  
Frozen storage characteristics of fillets  
from six major species of freshwater fishes, L. rohita  
C. catla, C. mrigala, L. calbasu, M. seenghala, and W. attu  
are reported. From the organoleptic point of view,  
fillets of C. mrigala had the best shelf life..  
...16 ref.
- 165 Dixit, V.P., S.K. Bhargava and J.S. Sandhu 1978.  
(Reproduction physiology section, Deptt. of  
Zoology, University of Rajasthan, Jaipur  
302004, India).  
Effects of quinacrine administration on  
testicular function of the toad Bufo  
andersonii Boulenger.  
Indian J. exp. Biol., 16(7) : 803-805.  
... 9 ref.
- 166 Dutta, Sushil K and T. Mohanty - Hejmadi 1978  
(Department of Zoology Utkal University,  
Bhubaneswar 751004, Orissa, India).  
Life history and pesticide susceptible embryonic  
stages of the Indian Bull frog Rana tigrina  
Daudin.  
Indian J. ex. Biol 16(6) : 27-729.  
Since anurans as predators of insects are  
exposed to pesticides applied directly to their habitat,  
the effect of a common pesticide "Rogor" on the life  
cycle was determined. "Rogor" was significantly more toxic  
to pre-metamorphic larvae than to eggs.  
...7 ref.
- 167 Dwivedi, S.N.M.Q. Ahmed, M. Iflokhhar & T.S.R. Kumar Sinha.  
(CIFE, Post Box No. 7392, Kokori camp, J.I.  
Road, Versova, Bombay 58, India).  
Successful larval culture of Metapenaeus affinis  
H. Milne Edwards) at CIFE.  
CIFE Newsletter, May-June 1978 : 1-4  
...7 ref.



- 168 Eschmeyer, William N. and Raja V. Rama-Rao 1977.  
(California Academy of Sciences, Golden Gate Park, San Francisco, California 94118,  
Zoological survey of India, Madras-600028)  
A new scorpionfish Ebosia falcata (Scorpaenidae, Pterominae), from the western Indian Ocean, with comments on the genus.  
Matsya 3 : 64-71.
- 169 Ganapathy, R. 1978.  
(Asst. Director, MPEDA, Cochin-16).  
Scope for diversification of marine products for export.  
Seafd. export J. 10(7) : 11-22.
- 170 Ghosh, Ajoy Kumar 1978.  
(CIFRI, Barrackpore, West Bengal, India).  
Machher rog nirmay O tar pratikar (in bengali)  
Fish disease is no more a problem in farming).  
Nabanya Bharati, 10(11-12) : 868-870.
- 171 Ghosh, Apurba 1978.  
(CIFRI, Barrackpore, West Bengal, India).  
Mayla jale kom kharache matsyachaase sambhabana (in bengali).  
Sewage can't utilised for high fish production.  
Nabanya Bharati, 10(11-12) : 890-894.
- 172 Goa, National Institute of Oceanography 1977.  
Proceedings of the symposium on Warm water Zooplankton. Special publication, National Institute of Oceanography, Goa. 722 p.  
The proceedings consisted of aspects like systematics and biogeography, ecology, energy transfer, culture, biochemistry, systems analysis and modelling etc.
- 173 Gogate, S.S., S.M. Shah and C.K. Unni 1975.  
(Health physics Division, Bhabha Atomic Research centre, Bombay, India).  
Strontium, calcium and magnesium contents of some marine algae from the West coast of India.  
J. mar. biol. Ass. India, 17(1) : 28-33.

174 Gopakumar, K. 1974.

(Central Institute of Fisheries Technology,  
Matsyapuri, Cochin 682029, India).

Fatty acid make up of lipids of oil sardine  
Sardinella longiceps in relation to season.  
J.mar.biol.Ass.India, 16(3) : 830-833.

The seasonal variation of the total extractable lipids and the corresponding iodine values of lipids in oil sardine S. longiceps from Cochin area were determined for four seasons successively and the results are presented in this note.

...13 ref.

175 Gopalakrishnan M. and M.R.Rajasekarasetty 1978.

(Dept. of Zoology, Manasagangotri Mysore-  
570006, India).

Department of Zoology, Govt. College,  
Mangalore 575001, India).

The annual reproductive behaviour of the  
green frog, Rana hexadactyla Lesson.  
in and around Mangalore and Mysore city  
(India). Proc. Indian Acad. Sci. 87 B(6):81-89.

18 ref

176 Gopesh, A. and C.B.L. Srivastava 1978.

(Department of Zoology, University of Allahabad,  
Allahabad, India).

On the occurrence of a special electro-sensory  
component of VII lateral line nerve, Ramus  
dorsalis posterior, in two air-breathing  
catfishes, Clarias batrachus and Heteropneustes  
fossilis.

Nat. Acad. Sci. Letters, 1(9) : 342-343.

...8ref.

177 Gopinathan C.P. 1975

(CIFRI, Cochin 682018, India).

On the new distributional records of plankton  
diatoms from the Indian seas.

J.mar.biol.Ass.India 17(1) : 223-240.

The present paper deals with the complete  
post nupliar development of Euphausia diomedea and  
E. distinguenda.

...52 ref.



178

Gopinathan, C.P. 1975.

(Central Marine Fisheries Research Institute,  
Cochin 18, India).

Studies on the estuarine diatoms of India.

Bull. Dept. Mar. Sci. Univ. Cochin 7(4) : 995-1004.

This paper deals with an account of the estuarine diatoms present in the various estuarine systems in India. The influence of various physico-chemical / properties of the environment on the spatial and temporal distribution of diatoms in the estuaries is the estuaries is briefly discussed.

...16 ref.

179 Gopinathan C.P. &amp; C. Thankappan Pillai 1974.

(Central Marine Fisheries Research Institute,  
Cochin 682018)On two new records of dinophyceae of the  
Indian seas.J. mar. biol. Ass. India, 16(3) : 845-847

...13 ref.

180 Gopinathan, C.P. and C. Thankappan Pillai 1975.

(CMFRI, Cochin 682018, India).

Observations on some new records of dino-  
phyceae from the Indian seas.J. mar. biol. Ass. India, 17(1) : 177-186.

25 species of dinophyceae were identified  
from Indian seas.

...25 ref.

181 Gopinath N.V. and A.K. Datta Gupta 1978.

(Department of Zoology, Kurukshetra  
University, Kurukshetra, Haryana, India).Laboratory culture of rotifer, Asplanchna  
brightnelli.Sci. & Cult. 44(7) : 316-317.

...7 ref.

182 Govindan, T.K. Sibasankar Gupta, P.R. Girija Varma and P. Chattopadhyay 1973.

1 & Central Institute of Fisheries Technology, Cochin 682029, India.

2 Kakinada Research Centre of Central Institute of Fisheries Technology, Kakinada-533003, Andhra Pradesh.

4 Department of Food Technology and Biochemical Engineering, Jadavpur University, Calcutta-700 032, West Bengal ...2 ref.

Investigations on long distance transportation of fish III Field trials with a dismantlable insulated galvanised iron container.

Fish Technol 15(1) : 31-35.

183 Govind, B.V., M.F. Rahman and K.V. Rajagopal 1978.

Occurrence of elvers of Anguilla nebulosa (Grag and Harder) in Tunga river, Karnataka State.

Sci. & Cult. 44(7) : 329-330.

184 Gupta, N.K. and Adarsh Kumari 1974.

(Department of Zoology,

Panjab University, Chandigarh, India).

On Roparhynchus nelsoni N. Gen. N. Sp. (Sub family Neoprosorhynchinae Yamaguti 1958 : Family : Bucephalidae Poche, 1907) from a freshwater fish, Xenentodon cancila (Ham.) from Ropar.

Res. Bull. Panjab Univ. 25(I-II) : 123-126.

...3ref.

185 Halder, Dharma Das 1978

(CIFRI, Barrackpore, West Bengal, India).

Nonajole bagda chingri, parse, bhangan, bhetki machhchaas bisesh lavjanak. (in bengali).

Culture of Bagda, parse, bhangan bhetki etc. in brackishwater is highly lucrative.

Nabanya Bharati, 10(11-12) : 875-879.



186 Haniffa, M.A. 1978

(P.G. Department of Zoology, Jamal Mohamed College, Trichy 620020, India).

Secondary productivity and energy flow in a tropical pond.

Hydrobiol, 59(1): 49-65.

...49 ref.

187 Haniffa, M.A. and T.J. Pandian (1978).

Department of Zoology, Jamal Mohamed College, Trichy 620 020, India.

School of Biological Sciences, Madurai University, Madurai 625021, India).

Morphometry, Primary productivity and energy flow in a tropical pond.

Hydrobiol, 59(1) : 23-48.

...51 ref.

188 Jain, S.P., K.C. Pandey and A.K. Pandey 1976.

(Zoology Department, Agra College, Agra, India.

Dept. of Zoology, Lucknow University, Lucknow, (U.P.), India.

Effect of sexual maturation on some serum enzymes of Rita rita (Ham.).

Agra Univ. Res. Sci. 5(2) : 99-102.

The paper incorporates an account of study made for gonadal effects on phosphatases, amylase and transaminases in the serum catfish, R. rita.

... 7 ref.

189 Jain, S.P., K.C. Pandey and A.K. Pandey 1976.

1 (Dept. of Zoology, Agra College, Agra (U.P.), India.

2&3 Dept. of Zoology Lucknow University, Lucknow, (U.P.), India.)

Some histopathological observations on the stomach wall of Heteropneustes fossilis (Bloch) infected with a cestode.

Agra Univ. J. Res. Sci. 25(3) : 1-4.

...7 ref.



190 James, P.S. B.R. 1975.

University of Agricultural Sciences,  
College of Fisheries, Mangalore, India  
A systematic review of the fishes of the  
family Leiognathidae.  
J.mar.biol.Ass.India, 17 (1) : 138-172.

The species described here include two  
new records and one new species already reported by the  
author from the seas around India.

191 Jayabalan, N., K.Dhevendaran K.Ramamurthi 1978.

(Centre of Advance study in Marine Biology  
Porto Novo 608502, Tamil Nadu, India).  
Occurrence of symbiotic bioluminescent,  
bacteria in Indian leiognathids.  
Curr.Sci. 47(17) : 648-649.

This study is first of its kind dealing with  
the occurrence of symbiotic bioluminescent bacteria in  
the light organ of 4 species of silver bellies,  
L.splendeus, Gazza.sp., Secutor ruconius and S.insidiator.

..16ref.

192 Jhingran, V.G. 1978.

Advances in fish culture in India.  
Souvenir, Dairy Unit of Don Bosco,  
Krishnanagar, 1-2 p.

193 Kaliyamurthy H. 1974.

Observations on the environmental characteris-  
tics of Pulicat lake.  
J.mar.biol.Ass.India, 16(3) : 683-688.

Author presented the observations made during  
the year 1968 through 1970 on the spatial and temporal  
variations in temperature, salinity, dissolved O<sub>2</sub> and pH  
in Pulicat lake.

194 Karthiayani, T.C. and K.M.Iyer 1975.

Central Institute of Fisheries Technology,  
Ernakulam, Cochin 682003, India.  
The bacterial flora of certain marine fishes and  
prawns in Cochin waters in relation to  
their environs.  
J.mar.biol.Ass.India, 17(1) : 96-100.

...6 ref.

- 195 Karuppannan, N. V. and M.N.Kutty 1978.  
 1 F.G.Dept.of Zoology, Govt.of Arts College,  
 Coimbatore 641018, India.  
 2 Fisheries College, T.N.Agricultural University,  
 Tuticorin 628001, India.  
 Excretion of lactic acid in exercised fish  
Tilapia mossambica.  
Proc.Indian Acad.Sci. 87 B (6) : 169-172.  
 ...14 ref.
- 196 Koundinya P. Ranganatha, and R.Ramamurthy 1978.  
 Effect of sumithion (Fenitrothion) on some  
 selected enzyme systems in the fish  
Tilapia mossambica (Peters).  
Indian J.exp.Biol 16(7) : 809-811.  
 ... 14ref.
- 197 Kumaran, S. and T.S.S.Rao 1975.  
 (National Institute of Oceanography,  
 Regional Centre, Cochin 682018, India).  
 Phytoplankton distribution and abundance in  
 the Cochin backwaters during 1971-1972.  
Bull.Dept. Mar.Sci.Univ.Cochin, 7(4) : 791-799.
- 198 Kurian, C.V., R.Damodaran and A.Antony, 1975.  
 (Dept.of Marine Sciences, University of  
 Cochin, Cochin 682016, India).  
 Bottom fauna of the Vembanad lake.  
Bull.Dept. Mar.Sci.Univ.Cochin 7(4) : 987-994.  
 The paper is on the distribution of macro-fauna  
 in the sediment samples collected from 124 stations in the  
 Vembanad lake-during 1969-70. The distribution in relation  
 to the physical nature of the sediment and salinity  
 variations are discussed.  
 ...7ref.
- 199 Laal, Arun Kumar 1976.  
 (Fisheries Research Station, Balbhadrapur,  
 Laheriasari, Dharbanga, India).  
 A check list of chlorococcales from fish  
 ponds at Patna.  
Phykos, 15(1&2) : 101-102.  
 ...2ref



- 200 Latey, A.N. and P.V. Rangneker 1975.

(Department of Biology, Arts, Science and  
Commerce College, Chalisgaon Dist. Jalgaon,  
In the cichlid Tilapia mossambica (Peters)  
Proc. Indian nat. Sci. Acad., 41B(1) : 83-95.

==

Changes elicited by methallibure treatment  
in the hypothalmo-hypophyso-gonadal axis were assessed in  
a teleost, Tilapia mossambica.

...44 ref.

- 201 Latey, A.N. and P.V. Rangneker 1978.

1 Department of Biology, Arts, Science and  
Commerce College, Chalisgaon 424101,  
Maharashtra, India.

2 Institute of Science Kite Ark, Amargangabad  
431001, Maharashtra, India.

Effects of methallibure on the external  
morphology, behaviour and chromatic physiology  
of the teleost Tilapia mossambica (Peters).  
Hydrobiol. 60(3) : 221-227.

...34 ref.

- 202 Madhupratap M 1978.

Regional Centre, National Institute of  
Oceanography, Cochin 682018, India.

Studies on the ecology of zooplankton of  
Cochin back waters.

Mahasagar, 11(1&2) : 45-56.

...21 ref.

- 203 Mahajan, C.L., N.K. Agarwal, M.J. John V.F. Katta 1978.

(Department of Zoology, University of Rajasthan  
Jaipur 302004, India).

Parasitization of Isoparorchis ypselobagri  
Billet in Channa punctatus (Bloch).

Curr. Sci. 47(21) : 835-836.

... 6 ref.

204 Marr John C. and Steinar Olsen 1974.

1 Project Leader, Indian Ocean Programme  
FAO Rome,

2 FAO Project Manager, Pelagic Project,  
Cochin 682016, India.

The Indian Ocean programme and other UNDP/  
FAO assisted marine fisheries projects  
in the region.

J.mar.Biol.Ass.India, 16(3) : 807-813.

205 Mathew, K.J. 1975.

(Central Marine Fisheries Research  
Institute, Cochin 682018, India).

Studies on the larval history of two  
species of Euphausiacea from the Indian seas.

J.mar.biol.Ass.India, 17(1) : 1- 16.

...10 ref.

206 Menon, A.G.K. 1977.

1 Zoological Survey of India, Madras

2 Central Fish Fisheries Research Unit,  
Bangalore, India.

3 College of Fisheries, Mangalore, India.

Taxonomic assessment of the torrential fish  
of the genus Balitora Gray (Family Homalop-  
teridae) from the Indian peninsula.

Matsya 3 : 31-34.

A critical study based on fresh material  
from the Peninsular has shown that Balitora brucei  
mysorensis is a distinct Peninsular species and is  
described here as Balitora mysorensis.

207 Mishra, G.P. and A. K. Yadav 1973.

(Department of Botany, University of  
Saugar, Saugar, (M.P.), India.

A comparative study of physico-chemical  
characteristics of river and lake water.

Hydrobiol 59(3) : 275-278.

This paper deals with a comparative study  
of the physico-chemical characteristics of river and lake  
waters in Central India. The study reveals that the lake  
water is highly turbid, rich in organic matter, contains  
more of chloride and has a higher pH value as compared to  
to river water.

.. 10 ref.



- 208 Mukhopadhyay, P.K. and P.V. Dehadrai 1978.

Malathion toxicity and impairment of drug metabolism in liver and gills of the catfish Clarias batrachus (Linn.)  
Indian J. exp. biol 16(6) : 688-689.

Effect of exposure to sublethal concentration of malathion (0.1 ppm) for 30 days on microsomal drug metabolizing enzymes from liver and gills was investigated in C. batrachus. A significant increase in N- and O-demethylase activities was observed under malathion toxicity.

- 209 Munnet, Siddhartha K., N.K. Mishra, M.P. Singh Kohli 1978.

(Air-breathing fish culture unit, Central Fisheries, (ICAR), Mithapur Fish Farm, Patna 800 001).

A case of ambisexuality in an air-breathing freshwater teleost, Clarias batrachus (L).  
Curr. Sci. 47(21) : 834-835.

..19 ref.

- 210 Murty, A.V.S. 1975.

(CMFRI, Cochin, 682018, India).

A coefficient relating to the phytoplankton in the sea.

J. mar. biol. Ass. India 17(1) : 173-176.

The changes in the phytoplankton crop of the sea have been viewed from a physical stand point. A coefficient has been developed which is related to the quantity of phytoplankton in the sea. The changes in the coefficient are related with the supply of nutrients and the availability of sunlight. The nutrient and potical conditions required for optimal occurrence of the coefficient have been derived. It is inferred that the optimal occurrence of the coefficient takes place at great depths for clear water and for turbid water. it is very close to the sea surface.

...5 ref.

- 211 Murty, D.S., R.K. Dey & P.V.G.K. Reddy 1978

Experiments on rearing exotic carp fingerlings in Composite Fish Culture in India.

Aquaculture, 13(4) : 331-337

The results of four field experiments on rearing fry to fingerlings of Hypophthalmichthys molitrix, Ctenopharyngodon idella, and Cyprinus carpio var. communis are presented. In one experiment Labeo rohita was also introduced as a compatible species.

- 212 Mustafa, Saleem and A.K. Jafri 1978.

(Section of Ichthyology and Fisheries, Department of Zoology, Aligarh Muslim University, Aligarh 202001, India).

Some biochemical constituents and the calorific values of different regions of the body musculature of pond murrel

Channa punctatus bloch.

Fish. Technol 15(1) : 57-59

...30 ref

- 213 Muthuswamy, S., C. Jamrud Basha V.S. Govindan and B.B. Sundaresan 1978.

1 Public Health Engineering Department College of Engineering, Guindy, Madras 600025

2 Andhra Pradesh Public Works Dept.

3 Public Health Engineering Department, College of Engineering Guindy, Madras 600025.

4 Director, National Environmental Engineering Research Institute, Nagpur 440 020, India.)

Fish polyculture in sewage effluent ponds.

Indian J. Environ. Hlth. 20(3) : 219-231.

...6 ref.

- 214 Naidu, J.R. and Kum S.G. Shringarpure 1975.

1 Oregon State University, Corvallis, Oregon, U.S.A.

2 Health Physics Division, Bhabha Atomic Research Centre, Bombay 85.

Hydrological characteristics of the Bombay harbor Bay.

J. mar. biol. Ass. India 17(1) : 82-86.

...11 ref.



- 215 Nair, P.V. Ramachandran, C.P. Gopinathan, K.J. Joseph,  
V.K. Balachandran and M.S. Rajagopalan 1975.  
(Central Marine Fisheries Research Institute,  
Cochin 18, India).  
Toxicity studies on estuarine phytoplankters  
Bull. Dept. Mar. Sci. Univ. Cochin 7(4):981-986.  
This paper embodies the preliminary results  
of experimental studies with different hydrocarbons such  
as crude oil, furnace oil, high speed diesel oil, benzene,  
hexane and xylene about their toxicity on phytoplankters.  
...14 ref.
- 216 Nair, Vijayalakshmi, George Peter and V.T. Paulinose 1978.  
(National Institute of Oceanography,  
Dona Paula 403004, Goa, India).  
Zooplankton studies in the Indian Ocean II  
from the Arabian Sea during the post-monsoon  
period.  
Mahasagar 11(1-2) : 35-43.  
...13 ref.
- 217 Nasar, S.A.K. 1976.  
The effect of endrin on primary production  
in a pond ecosystem.  
Phykos, 15(1&2) : 47-48.  
The result of the present study sounds a  
note of warning that Endrine should be used carefully  
in the field.
- 218 Nasar, S.A.K. and Jayshree Datta Munshi 1976.  
(Coordinated Project on Air-breathing  
fishes, Central Inland Fisheries Research  
Institute, Balbharapur, Laheriasari 846001,  
Bihar (India).  
On the algal flora of some ponds of Bhagalpur,  
India. Phykos : 15(1&2) 49-52.  
Thirtythree species of algae collected  
during July, 1972 to August, 1973 from four freshwater  
ponds of Bhagalpur, India, are reported here.  
...7 ref.

- 219 Natarajan, A.V., V.R. Deasi, D.N. Misra and N.P. Srivastava 1977  
 (Central Inland Fisheries Research Substation,  
 Allahabad, India).  
 Some new light on population ecology of the  
 Gangetic major carp, Catla catla (Ham.)  
 from Rihand reservoir (U.P., India).  
Matsya 3 : 46-59.

Authors report the presence of three infra-specific populations within C. catla each of which is distinguished by specific ecological 'roles'.

...22 ref.

- 220 Natarajan, M., and T.J. Varghese 1978.  
 (University of Agricultural Sciences,  
 College of Fisheries, Mangalore, India).  
 Digestive sewage sludge cakes as manure for  
 fish culture.  
Indian fmg., 28(3) : 25-27.

- 221 Natarajan, P., N. Balakrishnan Nair, 1978.  
 (University of Agricultural Sciences,  
 College of Fisheries, Mangalore 575002, India,  
 Department of Aquatic Biology and Fisheries,  
 University of Kerala, Trivandrum-7).  
 On the occurrence of Lernanthropus  
koenigii Stp and Luck parasitic on  
Phrastromaeus niger (Bloch) in Kerala  
 waters.  
Curr. Sci. 47(14) : 17-518.

- 222 Natarajan, R. and P. Bensam 1978.  
 (Centre of Advanced study in Marine Biology,  
 Porto Novo.  
 Eggs and early larvae of the Indian mackerel  
Rastrelliger kanagurta (Cuvier) from nearshore  
 waters of Porto Novo.  
Curr. Sci. 47(21) : 829-830.

...14 ref.



- 223 Nigam, Harish C. 1978  
 (Head of Zoology Department, Lucknow  
 Christian College, C-52 Niralanagar,  
 Lucknow 226007, India)  
 Lateral line system in the tadpole of the  
 Indian frog Rana tigrina Daid.  
Curr. Sci. 47(14) : 519-521.  
 ...12 ref.
- 224 Noble, A. 1974.  
 (Central Marine Fisheries Research  
 Institute, Cochin, India).  
 Fishery and biology of the mackerel  
Rastrelliger kanagurta (Cuvier) at Cochin.  
J. mar. biol. Ass. India 16(3) : 816-829.  
 ...19 ref.
- 225 Paliwal, K.V., Ram Deo 1978.  
 (Water Technology centre, Indian Agricultural  
 Research Institute, New Delhi, India).  
 A field study on the effect of water quality  
 on soils.  
J. Indian Soc. soil Sci. 26(3) : 309-310.  
 The present study is conducted on random  
 waters and soil samples obtained from Bhilwara district  
 in Rajasthan and describe the effect of water quality  
 on soil properties.  
 ...6 ref.
- 226 Pal, Radha Nath 1978.  
 (CIFRI, Barrackpore, West Bengal, India).  
Kom Khamhe dami magur machher chass  
 (in Bengali).  
 Produce priced magur at low cost.  
Nabanya Bharati, 10(11-12) : 851-854.

227 Pandit Piush Kanti 1978

(CIFRI, Barrackpore, West Bengal, India)

Pronodita prajanan padhyatite pukuraciunna-  
ttamaner machher deem photan (in Bengali).

You can produce quality fish seed in the pond itself through induced breeding.

Nabanya Bharati, 10(11-12) : 836-840.

The author has discussed Induced breeding of Indian Major carps and rearing of brood stocks

228 Panicker, F.A., T.M.Sivan, H.N.Mhalathkar and F.George Mathai 1978.

1, 2 & 4 Central Institute of Fisheries Technology, Cochin 682029, India.

3 Goa Research Centre of Central Institute of Fisheries Technology, Goa.403-001, India.  
Selectivity of gill nets for Hilsa toli and Pampus argenteus  
Fish Technol 15(1) 61-68.

...22 ref.

229 Patel, N.M., and M.I.Patel 1978.

(Marine Biological Research Station, Port Okha 361350, India).

On a record of short-finned worm eel,

Muraenichthys vermiformis Peters from Indian coast. Curr.Sci. 47(16) : p 599.

... 2 ref.

230 Pathani, S.S. 1978.

A note on secondary sexual characters in Kumaun mahseer Tor tor (Ham.)

and Tor putitora (Hamilton) in Uttar Pradesh.

Indian J.Anim.Sci. 48(10) : 773-775.

...3 ref



- 231 Patra A.K., Niva Biswas, J.Ojha and J.S.Datta Munshi 1978.  
(Post graduate Department of Zoology,  
Bhagalpur University, Bhagalpur 812007, India).  
Circadian rhythm in bimodal oxygen uptake  
in an obligatory air-breathing swamp eel  
Amphipnous (= Monopterus) cuchia (Ham.)  
Indian J.exp.Biol., 16(7) : 808-809.  
...12 ref.
- 232 Peer Mohamed, M., D.Nath, G.N.Srivastava and R.A.Gupta 1978.  
Influence of sublethal DDT on standard (Basal)  
metabolism of the fresh water fishes Cirrhitina  
mrigala (Hamilton), Labeo rohita (Hamilton) &  
Colisa fasciata (Bloch and Schneider)  
Indian J.exp.Biol., 16(3) 385-386  
Effects of short term ( 24 hrs to 48 hrs)  
exposure to sub-lethal concentration of Ethyl parathion  
(0.02 ppm) on the activity metabolism of the fingerlings  
of Labeo rohita (Hamilton) at 20°C and 30°C have been  
studied.
- 233 Pillai, N.N. 1974.  
(Central Marine Fisheries Research Institute,  
Cochin 682018, India).  
Larval development of Leandrites celebensis  
(De Man) (Decapode : palaemonidae) reared  
in the laboratory.  
J.mar.biol.Ass.India, 16(3) : 708-720.  
...13 ref.
- 234 Pillai, N.Subramonia, V. Vijayan, C.Hridayanathan and R.S.  
Manoharadoss 1978.  
(Madras research centre of Central Institute  
of Fisheries Technology, Madras 600013, India)  
Evolution of suitable trawl nets for medium  
size trawlers, 1 comparative fishing efficiency  
between 32 m bulged belly long win and four  
trawls.  
Fish Technol., 15(1) : 71-75.  
...ref 5

- 235 Pillai, P. Parameswaran 1975  
 (Central Marine Fisheries Research Institute,  
 Cochin 682018, India).  
 Post naupliar development of the calanoid  
 copepod Temora turbinata (Dana)  
 with remarks on the distribution of the  
 species of the genus Temora in the Indian  
 Ocean.  
J.mar.biol.Ass.India, 17(1) : 87-95.  
 ... 17 ref.
- 236 Pillai, R.S. 1978.  
 (Zoological survey of India, Mylapore,  
 Madras 600004, India).  
 A new frog of the genus Micrixalus Boul.  
 from Wynad, S.India.  
Froc.Indian Acad.Sci. 87 B (6) : 173-177.  
 ... 6 ref.
- 237 P.Uma Devi and I.N.Srivastava 1977.  
 1 Radiation Biology Laboratory, University  
 of Rajasthan, Jaipur 302004.  
 2 School of life Sciences, Jawaharlal Nehru  
 University, New Delhi 110057.  
 ... Mammalian parathormono and calcium  
 metabolism in the catfish Heteropneustes  
fossilis (Bloch).  
Matsya, 3 1-5.  
 Radiocalcium uptake by the liver, kidney and  
 bone from the aquarium was studied in two groups of  
H.fossilis, one group receiving 5 USI units of bovine  
 parathormone per fish intramuscularly and the other  
 receiving distilled water injection in the same manner.  
 ... 23 ref.
- 238 Raghuvanshi, C. and H.Swarup 1978.  
 1 Department of Zoology, Regional College of  
 Education, Bhopal 462013, India.  
 2 Vice Chancellor, Jiwaji University, Gwalior, India  
 Changes in the amount of ascorbic acid in nor-  
 mal and regenerating barbels of fish  
Heteropneustes fossilis (Bloch).  
Curr.Sci. 47(21) : 826-827.  
 In the present investigation, distribution  
 of ascorbic acid has been studied in normal and regenerated  
 barbels and regeneration blastema.  
 ... 4 ref.



- 239 Rai, L.C. 1978.

Department of Botany, School of Life Sciences,  
North Eastern Hill University, Shillong 793003  
Ecological studies on algal communities of the  
Ganga river at Varanasi.  
Indian J. Ecol. 5(1) : 1-6.

...14 ref.

- 240 Raje, P.C. and M.R. Ranade 1975.

(Marine Biological Research Station, Ratnagiri,  
India).

Early life history of a Stenopodid shrimp  
Microprosthema semilaeve (Decapoda : Macrura)  
J. mar. biol. Ass. India, 17(1) : 217-222

...11 ref.

- 241 Rajyalakshmi, T. 1975.

(Brackishwater Fish Farm, P.O. Kakdwip  
Dist. 24 pgs., West Bengal).

Gollair lake offers a source of highly  
lucrative fishing.

Scafd export J., 7(8) : 25-31.

... 1 ref.

- 242 Rajyalakshmi, T. 1975.

Freshwater caridean prawns (Macrobrachium  
malcolmsoni) are generally sedentary.  
Scafd. export J. 7(2) : 25-30.

- 243 Ramaiyan V. and I.J.F. Whitehead 1975.

(Centre of Advanced study in Marine Biology,  
Marine Biological Station of Annamalai  
University, Marangipettai (Tirunelveli) 608502,  
India.

Notes on Indian species of ilisha (Pisces :  
clupeidae).

J. mar. biol. Ass. India, 17(1) : 187-198.

The systematic position of the species ilisha  
is confusing. Therefore the authors attempted to revise  
the species I. sladeni, I. sirishai, I. pristigastroides  
I. kampani, I. elongata, I. macrogaster, I. magaloptera, I. melastoma

... 10 ref.

- 244 Ramaiyan V. & R.Natarajan 1975.  
 (Centre of Advanced study in Marine Biology,  
 Marine Biological Station of Annamalai  
 University, Porto Novo 608502, Tamil Nadu).  
 Studies on taxonomy of the Indian shad ilisha  
 Richardson.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 953-963.  
 ...17 ref
- 245 Raman K., K.V.Ramakrishna, S.Radhakrishnan and G.R.M.Rao 1975  
 (Central Inland Fisheries Research Institute,  
 Madras-11).  
 Studies on the hydrobiology and benthic  
 ecology of lake Pulicat.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 855-884.  
 Results of observations on water qualities  
 and biological features made at 30 stations along 7 longitudinal  
 transects covering the entire lake during the pre-monsoon  
 monsoon and post monsoon are presented.  
 ...17 ref.
- 246 Ram Manohara B.H. and K.Chandra Mohan 1978..  
 (College of Fisheries, Mangalore 875002,  
 India).  
 Some preliminary observations on the trend  
 in commercial crab fishery of Mangalore.  
Seafd.export J. 10(5) : 25-27.  
 This paper presents the results of the landings  
 of commercially important marine crabs Portunus pelagicus  
 and P.sanguinolentus and the estuarine Scylla senata.  
 ... 9 ref.
- 247 Rao, C.C.Tanduranga and S.S.Gupta 1978.  
 (Kakinada Research centre of Central Institute  
 of Fisheries Technology, Kakinada 533003,  
 Andhra Pradesh, India).  
 Enteropathogenic E.coli and other coliforms  
 in marine fish.  
Fish.Technol 15(1) : 45-47.  
 Enteropathogenic serotypes of E.coli  
 are reported from sciaemids and catfish for the first time  
 in this country.  
 ...13 ref.



248 Rao, K. Madhusudhana 1978.

Scope and prospects of line fish culture  
in a Andhra Pradesh.

CIFE Newsletter May-June, 1978 : 18-22.

249 Rao, K.V. Rama, V.S. Ramachandran, P.S. Joy 1978.

1 Zoological survey of India, Madras-600 028,  
India.

2&3 Central Institute of Fisheries Nautical  
and Engineering Training, Cochin-16.

A list of common marine and freshwater fishes  
of Andhra Pradesh with their scientific, Telugu and popular  
English names. Part I.

Seafd. export J. 10(7) : 23-

The authors have listed 124 species of marine  
and freshwater fishes with their common Telugu  
names and popular English names.

250 Rao, I.S. and D.N. Prasad 1978

(Professor of Fisheries Economics,  
Central Institute of Fisheries Education,  
Bombay).

Some price analysis of inland fishes in  
Mumbai city market and its variations.

Seafd. export J 10(4) : 11-21.

...6 ref.

251 Rao, T.S.S., M. Madhupratap and T. Haridas 1975.

(Regional centre, National Institute of  
Oceanography, Cochin-18, India).

Distribution of zooplankton in space and time  
in a tropical estuary.

Bull. Dept. Mar. Sci. Univ. Cochin 7(4) : 695-704.

The variation in zooplankton abundance in the  
backwaters from Cochin to Alleppey was studied for a year  
and is reported.

...12 ref.

- 252 Rao, V.Chalapathi and T.S.Satyanarayana Rao 1974.  
 (Central Public Health Engineering Research  
 Institute, Nagpur and Indian Ocean Biological  
 Centre, National Institute of Oceanography,  
 Cochin 18).  
 Distribution of dissolved organic phosphorus  
 and nitrogen in the Bay of Bengal.  
J.mar.biol.Ass.India 16(3) : 775-790.  
 Data on dissolved organic components presented  
 in this paper deals with values obtained in the inshore  
 water of Bay and Bengal off the coast of Waltair for a  
 period of two years 1961-62 and also from the different  
 regions of the Bay of Bengal obtained during the International  
 Indian Ocean Expedition on board R.V.ANTON BRUNN  
 ...30 ref.
- 253 Rao V.Chalapathi and T.S.Satyanarayana Rao 1975.  
 (Central Public Health Engineering Research  
 Institute, Nagpur and Regional centre,  
 National Institute of Oceanography, Cochin,  
 India)  
 Distribution of particulate organic matter  
 in the Bay of Bengal.  
J.mar.biol.Ass.India 17(1) : 40-55.  
 ...9 ref
- 254 Reddy, T.Balasundar 1978  
 (Department of Environmental Sciences,  
 Andhra ~~xxxa~~ University, Visakhapatnam-530003,  
 Andhra Pradesh, India).  
 Hermaphroditism in the murrelet Channa punctatus  
 (Bloch, 1993).  
Curr.Sci. 47(15) : 547-548.  
 ...11 ref
- 255 Reddy, T.Sita Rami, V.Natarajan A.L.Paul Pandian and  
 R.Natarajan 1975.  
 (Centre of Advanced study in Marine Biology  
 Marine Biological of Annamalai University,  
 Port Novo 608502, Tamil Nadu, India).  
 Studies on the isoenzymes in the mullets  
 of Port Novo.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 819-825.  
 ...17 ref.



- 256 Sahai, Deepa and H.D. Srivastava 1977.  
 (Dept. of zoology, University of Allahabad India).  
 Trematodes of Indian fishes, Part I. Two new genera of Hemiurids (Sub family- Hemiurinae Looss, 1899).  
Iroc. Nat. Acad. Sci. India 47(B) 1 : 7-12.  
 ...19 ref.
- 257 Saha, G.N. and D.K. Chatterjee 1977.  
 (CIFR Substation, Cuttack, Orissa, India).  
 A preliminary study on the comparative efficiency of two mixed chemical fertilizers in both productive and unproductive fish pond soils.  
Iroc. nat. Acad. Sci. India 47 B(2):93-100.  
 The action of two mixed fertilizer having different ratios of N-I.K. as 20 : 20:5 and 20:10:5 were investigated both in unproductive (pH 6.2) and in productive (pH 6.8) soils.  
 ...9 ref.
- 258 Saha S.B., B.B. Ghosh and V. Gopalakrishnan 1975.  
 (CIFRI, Barrackpore, India).  
 Plankton of the Hooghly estuary with special reference to salinity and temperature.  
J. mar. biol. Ass. India 17(1) : 167-120.  
 ... 6 ref.
- 259 Samuel, Sydney, Kuruvila Mathew and A. Antony 1975.  
 (Department of Marine Sciences, University of Cochin, Cochin 682016, India).  
 Observations on the African weed, Salvinia auriculata Aublet with special reference to salinity tolerance.  
Bull. Dept. Mar. Sci. Univ. Cochin 7(4) : 913-917.  
 ...6 ref.

- 260 Samy, M. Rama and T. Gopalakrishna Reddy 1978.  
 (Department of Zoology, Rajab Serfoji Govt. College, Thanjavur 613005, India).  
 Bimodal oxygen uptake of an air-breathing fish Channa gachua (Hamilton).  
Indian J. exp. Biol. 16(6) : 693-695.  
 Respiration of the air-breathing fish C. gachua was studied under water with access to air (bimodal respiration) under water with no access to air (aquatic respiration) and in air (aerial respiration).  
 ...20 ref.
- 261 Sankolli, K.N. and Shakuntala Shenoy 1975.  
 (Department of Marine Sciences, University of Cochin, Cochin 682016, India)-  
 Larval development of mud shrimp callinassa (Callichirus) kewalramanii sankolli, in the laboratory Crustacea, Decapoda.  
Bull. Dept. Mar. Sci. Univ. Cochin 7(4) : 705-720  
 ...6 ref.
- 262 Sankolli, K.N. and Shakuntala Shenoy 1975.  
 1 Marine Zoology and Fisheries Division, Department of Zoology, Karnataka University, Dharwar-3, India Karnataka State.  
 2 Tarapurwala Marine Biological Research Station, Bombay India.  
 On a new record of a majid crab, Doclea hybrida (Fabricius) from the Maharashtra waters and its life history. J. mar. biol. Ass. India 17(1) : 126-137 ... 8 ref.
- 263 Santhanam, R., K. Krishnamurthy and R.C. Subbaraju 1975.  
 1 & 2 Centre of Advanced study in Marine Biology, Marine Biology Station of Annamalai University, Porto Novo 608502, Tamil Nadu, India.  
 3 Zoological survey of India, Saproon, 173211, Himachal Pradesh, India.  
 Zooplankton of Porto Novo South India.  
Bull. Dept. Mar. Sci. Univ. Cochin 7(4) : 899-911  
 ... 12 ref



- 264 Santhanam, R., K.Krishnamurthy and V.Sundararaj 1975.  
 Centre of Advanced study in Marine Biology,  
 Marine Biological Station of Annamalai  
 University, Porto Novo 608502, Tamil Nadu,  
 India.  
 Quantitative phytoplankton ecology.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 769-779.

...15 ref.

- 265 Sarma, A.L.N. 1974.  
 (Department of Zoology, Andhra University,  
 Waltair, India).  
 The phytal fauna of Sargassum off visaka-  
 patnam coast.  
J.mar.biol.Ass.India 16(3) : 741-755.

...15 ref.

- 266 Saxena, I.K. and Manju Garg 1978.  
 (Department of Zoology, Faculty of Basic  
 Sciences, Punjab Agricultural University,  
 Ludhiana)  
 Effect of insecticidal pollution on ovarian  
 recrudescence in the fresh water teleost  
Channa punctatus.  
Indian J.exp.Biol 16(6) : 689-691.

A comparison of the effect of LC<sub>50</sub> con-  
 centration(ppm) of carbaryl and fenitrothion on ovarian  
 recrudescence in C.punctatus(Bl.) revealed that carbaryl  
 treatment was more effective since it did not allow the  
 appearance of stage III oocytes and percentages of Stage I  
 and atretic oocytes were higher in ovaries of treated fish.

...17 ref.

- 267 Sen, N. 1978.  
 (Eastern Regional Station, Zoological  
 Survey of India, Shillong 793003, India).  
 Abnormal colouration and variable  
 morphometrics in specimens of Clarias  
batrachus (Linnaeus) from Meghalaya,  
 India (Fishes : Clariidae).  
Sci & Cult. 44(10) : 470-471.

...4ref.

- 268 Sen, P.R., N.G.S. Rao, S.R. Ghosh and M. Rout 1978.

Observations on the protein and carbohydrate requirements of carps.

Aquaculture, 13(3) : 245-255.

By direct inference and by statistical analysis, it was observed that the optimum growth of carp spawn, fry and fingerlings was reached with test diets having 43% protein (casein) and 26% carbohydrate (dextrin).

- 269 Shafee, M.S. 1978.

Centre Oceanologique de Bretagne -B.T.337-29273 Brest Cedex (France), Faculte des Sciences, Laboratoire de Zoologie, 6 Av. Le Goregeu 29283 Brest Cedex, France.

Variations in biochemical composition of the green mussel Perna viridis. Linnaeus of Ennore Estuary, ~~Madras~~ Madras, India.

Mahasagar, 11(1&2) : 101-104.

...10 ref.

- 270 Shah, S.M. and S.R. Rao 1975.

(Health Physics Division, Bhabha Atomic Research Centre, Bombay, India.)

Distribution of calcium in Indian Ocean.

J.mar.biol.Ass.India, 17(1) : 121-125.

... 8 ref.

- 271 Sharma, B.K. 1978.

(Zoological survey of India, 8 Lindsay Street, Calcutta- 70 016, India).

Two new lecanid rotifers from India.

Hydrobiol, 60(2) : 191-192.

- 272 Sharma, B.K., Dilip Kumar and Amitava Ghosh 1978.

The promise of composite fish culture technique.

Souvenir, Dairy Unit of Don Bosco, Krishnanagar.

- 273 Shastri, S.S. 1978

(National Institute of Oceanography, Dona Paula, 403004, Goa, India).

Trends in marine fish landings in India.

Mahasagar, 11(1&2) : 73-81.

From the available specieswise data for the last twenty years, the author attempted statistical models for the prediction of marine fish landings using the orthogonal polynomial technique.

...14 ref.



- 274 Siddiqi, S.Z. 1974 (Fish Division, Zoological Survey of India,  
27 Chowringhee Road, Calcutta-700017, India)  
Natural Distribution  
and ecology of dark - blotched  
Mudskipper, Periophthalmus waltoni  
Kocemans (Pisces : Gobidae).

J.mar.biol.Ass.India, 16(3) : 843-844.

This is the first record on the occurrence  
of P.waltoni Kocemans from Indian waters.

...1 ref.

- 275 Singh, B.N. 1976.

Metabolic energy requirements and energy  
budgets of certain Indian air-breathing  
fishes.

National Sciences Journal Marathwada  
University, Aurangabad, 15(8) : 3-9.

- 276 Singh, D.I. 1976.

(Department of Zoology, R.B.S. College,  
Bichpuri, Agra, India).

The structure of gills with special  
reference to gill rakers relation to  
mode of feeding in certain fresh water  
teleosts.

Agra Univ.J. Res.(Sci) 25(2) : 87-93.

The modifications of gill structure in  
relation to feeding adaptations have been described in  
fishes like Notopterus notopterus, Rita rita, L.calbasu,  
Rhinomugil corsula and Tuntius sarana.

...17 ref.

- 277 : Singh, Rani, and I.K.Talwar 1978.

(Zoological survey of India, 27 Jawaharal  
Nehru Road, Calcutta).

On the little known pony fish Gazza  
achlamys Jordan and Starks (Pisces :  
Leiognathidae) in the Indian waters.  
Curr.Sci. 47(23) : 930-931.

...8 ref.

- 278 Sivadas, T.K. 1978.

(Central Institute of Fisheries Technology,  
Cochin 682029, India).

In Situ temperature and salinity meter.

Fish. Technol. 15(1) : 77-80.

Development of a portable self contained  
electronic meter for on the spot determination of temp. and  
salinity is described.

... 7 ref.

- 279 Solanki K.K. and R.Venkataraman 1978.

(Veraval Research Centre of Central  
Institute of Fisheries Technology, Veraval  
362265, Gujarat, India).

Ice storage characteristics of fresh and  
Brined shark fillets.

Fish. Technol. 15(1) : 7-11.

Icing of shark fillet is suggested as a  
method for the removal of urea on a commercial scale.

...5ref.

- 280 Somalingam, J. and T.S.R.Sinha 1978.

Observations on the commercial breeding  
of silver carp by hypophysation at fresh  
water fish farm Balabhadrapuram, during  
July-August 1976.

CIFE, Newsletter, May-June 1978 : 5-17.

- 281 Somayajulu, R.S.N. 1978.

(Zoology Department, M.R.College, Teddapuram,  
South India).

Studies on the vertebrate kidney : Part IV-  
phospholipid composition of the kidney  
of fishes from diverse habitats.

Indian J. biochem. 15(4) : 343-345 [Biophys.

.. little variation in the fatty acid  
composition of various phospholipids has been observed  
in the kidney of fishes from diverse habitats. The  
significance of phospholipids in osmoregulation has been  
discussed.

..13 ref.



- 282 Sree Raghunath 1978.

Chipemacha dharar bichitra upakaran O  
Kala kausal (in Bengali)  
Nabanya Bharati, 10(11-12) : 855-857.

- 283 Srivastava, C.B.L. 1978.

(Department of Zoology, University of  
 Allahabad, Allahabad, India).  
 Differentiation of electric organ from  
 muscle precursor in the regenerating tail  
 of a weakly electric teleost. A morpho-  
 genetic approach.  
Indian J. exp. Biol. 16(7) : 762-767.

Electron microscopy of regenerating tail of  
Eigenmannia virescens has revealed that during regeneration  
 of the electroplate, initial developmental stages of differen-  
 tiation are similar to those found in the case of development  
 of striated muscle fibre. This is the first report offering  
 developmental evidence of the existence of the two types  
 of myofilaments in the electroplates, establishing clearly  
 the homology between fish electric organ and muscle fibre.

...21 ref.

- 284 Srivastava, H.C. and C.B.L. Srivastava 1978.

(Department of Zoology, University of  
 Allahabad, Allahabad, India).  
 Regeneration of tail in victims of predation  
 in nature - among air-breathing catfishes.  
Nat. Acad. Sci. Letters 1(10) : p 385.

...1 ref.

- 285 Srivastava H.D. and Deepa Sahai 1977.

(University of Allahabad, India).  
 Trematodes of Indian fishes Part II.  
 Two new genera of Hemiurids (subfamily-  
 Hemiurinae Looss 1899).  
Proc. Nat. Acad. Sci. India 47 B(1) : 41-47.

...7 ref.

- 286 Srivastava, J.B., S.K.Chawadhary, and J.l.Sharma 1978.  
Occurrence of cauliflower disease (stomato-  
papilloma) in the freshwater fish Rasbora  
daniconius (Ham1) & Sci.& Cult 44(7) : 332-333
- 287 Stephen, David 1978.  
(Department of Fishery Biology, College of  
Fisheries, University of Agricultural  
Sciences, Mangalore-575002, India).  
Mud blister formation by Iolydora ciliata  
in the Indian backwater oyster Crassotrea  
adrasensis (Preston).  
Aquaculture : 13(4) : 347-350.  
...17 ref.
- 288 Sukumaran, P.K. and S.L.Raghvan 1978.  
Note on two deformed specimens of the  
Indian carp Labeo rohita (Hamilton).  
Sci.& Cult, 44(7) : 322.
- 289 Sundaram N and K.Ramadoss 1978.  
(Tuticorin Research Centre of Central  
Marine Fisheries Research Institute,  
Tuticorin, India).  
Methods of spot collection in the culture  
of shell fishes.  
Seafd.export J.10(6) : 23-29.  
Authors discussed the methods of spot  
collection from Japan, North America France, Philippines,  
Australia, California, Virginia and Canada.
- 290 Sundarsan D 1977.  
(Exploratory Fisheries Project,  
Calcutta, India).  
Fish trawl catches of shoal bay, Port Blair  
(Andamans) in relation to hydrology and  
plankton.  
Matsya, 3 : 83-86.  
A preliminary account on the abundance  
and fluctuation of the demersal fish catches of the shoal  
Bay, Port Blair during the year 1972-75 is presented  
and studied against the ecological conditions of the  
area.  
...10 ref.



- 291 Tandon, K.K. 1978.

(Dept. of Zoology, Punjab University,  
Chandigarh 160014, India).

Tori longitudinales and valvula cerebelli  
as the basis of identification in fishes.  
Curr. Sci. 47(16) : 600-601.

- 292 Thomas M.M., M.Kathirvel and N.N.Pillai 1974.

(Central Marine Fisheries Research  
Institute, Cochin 682018, India).

Laboratory spawning and early development  
of Larapenaeopsis acclivirostris (Alcock)  
(Decapoda : Penaeidae).

J.mar.biol.Ass.India : 16(3) : 731-740.

Information on egg, naupliar and protozoal  
stages of P.acclivirostris are given for the first time.  
Eggs, five naupliae and three protozoal stages are described  
and illustrated in detail. A comparative study of these  
stages with those of L.stylifera is also presented

...4 ref.

- 293 Tilakraj and Akhalaq Husain 1977.

(Zoological Survey of India, Dehradun, India).

Description of a new species of the genus  
Lepidocephalus Bleeker from Uttar Pradesh  
(Cyprinidae : Cypriniformes).

Matsya 3 : 60-63.

Lepidocephalus candofuncatus is a new species  
described here and compared with the known species of  
the genus Lepidocephalus in India.

...4 ref.

- 294 Trivedy, R.K., K.L.Sharma, L.K.Goel and B.Gopal 1978.

(Dept. of Botany University of Rajasthan,  
Jaipur, 4 India).

Some ecological observations on floating  
islands.

Hydrobiol 60(2) : 187-190.

This paper reports the occurrence of  
floating islands in an impoundment infested with water  
hyacinth, Eichhornia crassipes.

...18 ref.

- 295 Unni, K. Vijayan 1978.  
 (Manager, Gladstone Lyall and Co. Ltd.,  
 Marine Craft Division, Ullal-Karnataka, India)  
 GRF gillnetters developed in India.  
Scafd export J., 10(6) : 11-21.
- 296 Vaunucci, Partha.  
 (UNESCO Curator, Indian Ocean, Biological  
 Centre, Cochin 18, India).  
 Zooplankton.  
J.mar.biol.Ass.India 16(3) : 791-792.
- 297 Varma, T.R. Girija and R. Venkataraman 1978.  
 (Central Institute of Fisheries Technology,  
 Cochin 682029, India.)  
 Canning of smoked dhoma (*Sciaenid* sp.)  
Fish.Technol., 15(1) : 27-29.
- 298 Venugopal V.K. and A. Rajendran 1975.  
 (National Institute of Oceanography,  
 Dona Paula, Goa.)  
 Dissolved and particulate nitrogen in Vellar  
 estuary.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 885-897.  
 The distribution, seasonal variation and  
 interaction between the dissolved and particulate fraction  
 of both inorganic and organic nitrogen compounds in Vellar  
 estuary are described in detail with particular reference  
 to ammonia, nitrate, nitrite, dissolved organic Nitrogen  
 (DON) and particulate organic nitrogen.  
 ...27 ref.
- 299 Verghese L.U., A.N. Ghosh and T.B. Das 1975.  
 (Central Inland Fisheries Research  
 Institute, Brackishwater Experimental Fish  
 Farm, Kakdwip, West Bengal, India).  
 On growth, survival and production of  
 jumbo tiger prawn Penaeus monodon Fabricius  
 in brackishwater ponds.  
Bull.Dept.Mar.Sci.Univ.Cochin 7(4) : 781-789.  
 ... 18 ref.



- 300 Vijayaraghavan, Sumitra, K.J. Joseph, V.K. Balachandran & V. Chandrika 1975.  
(CMFRI, Cochin 682018, India).  
Introduction of dissolved carbohydrate (DCHO) in three unialgal cultures.  
J. mar. biol. Ass. 17(1) : 206-212.  
Introduction of dissolved carbohydrate (DCHO) in the unialgal cultures of Tetraselmis gracilis, Chlorella salina and Synechocystis salina was studied and reported.  
...16 ref.
- 301 Vijayaraghavan, Sumitra, M.V.M. Wafar and Joseph T. Royan 1978.  
(National Institute of Oceanography, Dona Paula-403004, Goa, India).  
Food conversion in the fish Eetroplus suratensis.  
Mahesagar 11(1&2) : 91-94.  
Food conversion efficiency in the fish. E. suratensis was studied using four types of diets.  
...17 ref.
- 302 Wadekar, Upendra 1978.  
Ten steps of aquarium maintenance keeping hobby.  
CIFE Newsletter May-June 1978 : 23-26.
- 303 Williams F., and V.K. Venkataramani 1978.  
(Institute of Oceanography, Old Dominion University, Norfolk, Virginia 23508, USA).  
Notes on Indo-Pacific carangid fishes of the genus Carangoides Bleeker 1.  
The carangoides malabaricus group.  
Bull. mar. Sci. 28(3) : 501-511.  
The systematic status of two closely related species of carangid fishes, genus Carangoides, is classified. Detailed species accounts are given for C. malabaricus and C. talamparoides.  
...16 ref.

304 Xavier Anne, J.L. Gnanarethinam 1978.

(Department of Botany, The Autonomous St. Joseph's College, Tiruchirapalli, 620002, India).

A preliminary study of the effect of the herbicide 2, 4-D on the nitrogen metabolism of the water fern salvinia natans. L. Curr. Sci. 47(17) : 639-640.

The effect of the herbicide 2,4-D on the nitrogen metabolism of the water fern salvinia natans was studied.

...7 ref.

305 Zutshi, D.P. and K.K. Vass 1978.

1 Department of Botany, Sri Pratap College, Srinagar, India.

2 Cold water Fisheries Research Unit of the CIFRI, Harwan, Kashmir, India.  
Limnological studies on Dal lake-  
Chemical features.  
Indian J. Ecol. 5(1) : 89-97





## II AUTHOR INDEX

Every author's name appearing in the original article is listed alphabetically, including corporate bodies (societies, organisations etc.) whether occurring as single or multiple words. (Reference is given to the serial no. of the entry).

Adarsh Kumari	...	184
Ahmed, M.Q.	...	167
Agarwal, N.K.	...	203
Agarwal, Pradeep	...	127
Agarwal, S.K.	...	126
Aguiar Annabelle,	...	128 & 129
Anantaraman, Sita	...	130
Ansari, Z.A.	...	131
Antony, A.	...	198 & 259
Balachandran, V.K.	...	215 & 300
Balani, M.C.	...	132
Bandopadhyaya, Sachindra Mohan	...	133
Bano, Yagana	...	134
Barrackpore, Central Inland Fisheries Research Institute	...	135 & 136
Basha, C. Jamrud	...	213
Belsare, D.K.	...	137
Belsare, Shashikala	...	137
Benson, I.	...	222
Bhanderi, I. M.	...	138
Bhargava, S.C.	...	143
Bhargava, S.K.	...	165
Bhatnagar Gyan Irakash	...	139
Bhattacharya, S.K.	...	140
Bhowmick, Utpal	...	141
Biswas, K. M.	...	142
Biswas, Niva	...	231
Bohra, O. I.	...	143
Bose, A. N.	...	140
Chakraborty, Deviprasanna	...	144
Chandra, Ravish	...	145
Chandrika, V.	...	300
Chasibhai	...	146
Chatterjee, A.	...	147
Chatterjee, D.K.	...	257
Chattopadhyay, I.	...	182
Chaturvedi, U.K.	...	148
Chawadhary, S.K.	...	286



Chetty, C. Sreeramulu	...	149
Chondar, S.L.	...	150
Choudhuri, D.R.	...	140
Cochin, Central Marine Fisheries Research Institute	...	151
Damodaran, R.	...	198
Daniel A.	...	152 & 153
Das Gopal	...	154
Das Hari Fada	...	155, 156
Das F.B.	...	299
Das Iunyabrata	...	157
Das S.M.	...	158, 159 & 160
David A.	...	161
De Dilip Kumar	...	162
Dehadrai, F.V.	...	208
Deo, Ram.	...	225
Deasi, V.R.	...	219
Devadasan, K.	...	164
Dey, R.K.	...	211
Dehvendaran, K.	...	191
Dixit, V.L.	...	165
Dutta Gupta, A.K.	...	181
Datta Munshi, J.S.	...	218 & 231
Dilip Kumar	...	272
D'souza, Joe	...	128 & 129
Dutta, Sushil K.	...	166
Dwivedi, S.N.	...	167
Eschmeyer, William N.	...	168
Ganapathy R.	...	169
Garg Manju	...	266
Ghosh Ajoy Kumar	...	170
Ghosh, Amitava	...	272
Ghosh A.N.	...	299
Ghosh Apurba	...	171
Ghosh B.B.	...	258
Ghosh S.R.	...	268
Gnanarethinam, J.L.	...	304
Goa National Institute of Oceanography	...	172
Goel, I.K.	...	294
Gogate, S.S.	...	173
Gopakumar, K.	...	174
Gopalakrishnan, M.	...	175
Gopalakrishnan V.	...	258
Gopal B.	...	294
Gopesh A.	...	176

Gopinathan, C.P.	...	177, 178, 179, 180 & 215
Gopinath, N.V.	...	181
Govindan, S.	...	213
Govindan, T.K.	...	182
Govind, B.V.	...	183
Gupta, N.K.	...	184
Gupta, R.A.	...	232
Gupta, Sipsankar	...	182
Gupta, S.S.	...	247
Halder, Dharma Das	...	185
Haniffa, M.A.	...	186 & 187
Haridas P.	...	251
Hejmadi, P. Mohanty	...	166
Hridayanathan, C.	...	234
Husain, Akhlaq	...	293
Iftekhhar, M.	...	167
Indira, K.	...	149
Iyer, K.M.	...	194
Jafri, A.K.	...	212
Jain, S.P.	...	188 & 189
James, P.S.B.R.	...	190
Jayabalan, N.	...	191
Jhingran, V.G.	...	192
John, M. J.	...	203
Joseph, K.H.	...	215 & 300
Joy, P.S.	...	249
Kaliyamurthy, M.	...	193
Karthiayani, T.C.	...	194
Karuppananan, N.V.	...	195
Kathirvel, M.	...	292
Katta, V.P.	...	203
Khan, A.A.	...	147
Koundinya P. Ranganatha	...	196
Krishnamurthy, K.	...	263 & 264
Krishnamurthy P.	...	152
Kumaran S.	...	197
Kurian, C.V.	...	198
Kuruvila, Mathew	...	259
Kutty, M.N.	...	195
Laal, Arun Kumar	...	199
Latey, A.N.	...	100 & 101
Madhupratap M.	...	202 & 251
Mahajan, C.L.	...	203
Manoharadoss, R.S.	...	234
Marr, John C.	...	204
Mathai, P. George	...	228



Mathew, K.J.	...	205
Menon, A.G.K.	...	206
Mhalathkar, H.N.	...	228
Minu De	...	163
Mishra, G.P.	...	207
Mishra, N.K.	...	209
Misra, D.N.	...	219
Misra, S.D.	...	143
Mohan, K.Chandra	...	246
Mukhopadhyay P.K.	...	208
Munnet, Siddhaltha K.	...	209
Murty, A.V.S.	...	210
Marty, D.S.	...	211
Muthuswamy, S.	...	213
Nagabhushanam, A.K.	...	152
Naidu, J.R.	...	214
Nair, N.Balakrishnan	...	221
Nair, P.V.Ramachandran	...	215
Nair, Vijayalakshmi	...	216
Nasar, S.A.K.	...	217 & 218
Natarajan, A.V.	...	219
Natarajan, M.	...	220
Natarajan, P.	...	221
Natarajan, R.	...	222, 244 & 255
Natarajan, V.	...	255
Nath D.	...	232
Naaazi, I.A.	...	126
Nigam Harish C.	...	223
Noble, A.	...	224
Ojha, J.	...	231
Olsen, Steinar	...	204
Paliwal, K.V.	...	225
Pal, Radha Nath	...	226
Pandey, A.K.	...	188 & 189
Pandey, K.C.	...	188 & 189
Pandey U.C.	...	148
Pandian, T.J.	...	187
Panicker, P.A.	...	228
Pandit, Pijush Kanti	...	227
Patel, M.I.	...	229
Patel N.M.	...	229
Pathani, S.S.	...	160 & 230
Patra, A.K.	...	231
Paulinose, V.T.	...	216
Paul Pandian, A.L.	...	255
Peer, Mohamed, M.	...	232
Peter, George	...	216

*Pillai, N.N.	...	232, 292.
*Pillai C.Thankappan	...	179 & 180
Pillai, N.Subramonia	...	234
Pillai, P.I.arameswaran	...	235
Pillai, R.S.	...	236
Prasad, D.N.	...	250
Pundey Jyotsna,	...	159
P.Uma Devi	...	237
Purushothaman, A.	...	139
Radhakrishnan, S.	...	245
Raghavan, S.L.	...	288
Raghuvanshi, C.	...	238
Rahman, M.F.	...	183
Rai, L.C.	...	239
Rajagopalan, M.S.	...	215
Rajagopal, K.V.	...	161 & 183
Rajasekarasetty M.R.	...	175
Rajendran, A.	...	298
Rajendra, W.	...	149
Raje, T.C.	...	240
Rajyalakshmi, T.	...	241 & 242
Ramachandran, V.S.	...	249
Ramadoss, K.	...	289
Ramaiyan, V.	...	243 & 244
Ramakrishna, K.V.	...	245
Ramamoorthi, K.	...	191
Ramamurthy, R.	...	196
Raman, R.	...	245
Rama Rao, V.Kaja	...	168
Ram Manohara, B.H.	...	246
Ranade, M.R.	...	240
Rangneker, R.V.	...	100 & 101
Rao, C.C.Panduranga	...	247
Rao, G.R.M.	...	245
Rao, K.Madhusudhana	...	248
Rao, K.V.Rama	...	249
Rao, N.G.S.	...	268
Rao, P.S.	...	250
Rao, S.R.	...	270
Rao, T.S.S.	...	197 & 251
Rao, T.S.Satyanarayana,	...	252 & 253
Rao, V.Chalapathi	...	252 & 253
Reddy, I.Balasundar	...	254
Reddy, I.Sita Rami	...	255
Reddy, I.V.G.K.	...	211
Reddy, T. Gopalakrishna	...	260
Tout, M.	...	268
Royan, Joseph T.	...	301



Saha, G.N.	...	257
Sahai, Deepa	...	256 & 285
Saha, S.B.	...	258
Saleem, Mustafa	...	212
Samuel, Sydney	...	259
Samy, M. Rama	...	260
Sandhu, J.S.	...	165
Sankolli, K.N.	...	261 & 262
Santhanam, R.	...	263 & 264
Sarma, A.L.N.	...	265
Saxena, F.K.	...	266
Sen, N.	...	267
Sen, P.R.	...	268
Shafee, M.S.	...	269
Shah, S.M.	...	173 & 270
Sharma, B.K.	...	271 & 272
Sharma, J.F.	...	286
Sharma, K.F.	...	294
Shastri, S.S.	...	273
Shenoy, Shakuntala	...	261 & 262
Shringarpure, Kum S.G.	...	214
Siddiqui, S.Z.	...	274
Siddiqui, A.Q.	...	147
Singh, B.N.	...	275
Singh, D.I.	...	276
Singh Kohli, M.F.	...	209
Singh Rani	...	277
Sinha, T.S.R.	...	280
Sinha, T.S.R. Kumar	...	167
Sivadas, T.K.	...	178
Sivanandam, T.	...	153
Sivan, T.M.	...	228
Solanki, K.K.	...	279
Somalingam, J.	...	280
Somayajulu, R.S.N.	...	281
Sree Raghunath	...	282
Srivastava, C.B.L.	...	176, 283, 284
Srivastava, H.C.	...	284
Srivastava, H.D.	...	256 & 285
Srivastava, G.N.	...	232
Srivastava, J.B.	...	286
Srivastava, N.I.	...	219
Srivastava, I.N.	...	237
Stephen, David	...	287
Subharaju, R.C.	...	263

Sukumaran, I.K.	...	288
Sundaram N.	...	289
Sundararaj, V.	...	264
Sundaresan, B.B.	...	213
Sundarasan, D.	...	290
Swami, K.S.	...	149
Swarup, H.	...	238
Talwar, I.K.	...	277
Tandon, K.K.	...	291
Thomas M.M.	...	292
Tilak raj	...	293
Trivedy, R.K.	...	294
Unni, C.K.	...	173
Unni, K.Vijayan	...	295
Vannucci Martha	...	296
Varghese, T.J.	...	220
Varma, I.R.Girija	...	164, 297 and 182
Vass, K.K.	...	305
Venkataramani, V.K.	...	303
Venkataraman, R.	...	164, 279 & 297
Venugopal, V.K.	...	298
Vergheese, I.U.	...	299
Vijayan, V.	...	234
Vijayaraghavan, Sumitra	...	300 & 301
Wadekar, Upendra	...	302
Wafar, M.V.M.	...	301
Whitehead I.J.I.	...	243
Williams, F.	...	303
Xavier, Aune	...	304
Yadav A.K.	...	207
Zutshi, D.I.	...	305

---





### III SUBJECT INDEX

(Subject headings with their sub-headings are listed alphabetically. Reference is given to the serial number of the entry).

- 1 BEHAVIOUR      Feeding      ... 110,119  
                  Breeding      ... 9,63
- 2 BENTHOS      ... 3,88,198,245
- 3 BIOCHEMISTRY      ... 18,27,52,57,58,69,87,90,  
    95,105,149,155,165,174,196,  
    268,269,301
- 4 CULTURE OF FISH FOOD      ... 181  
   ORGANISMS
- 5 DISTRIBUTION AND ECOLOGY      ... 35,38,85,112,128,129,142,  
    145,153,168,180,183,194,  
    202,219,222,236,239,262,271,  
    284,277,293,294.
- 6 FERTILIZATION AND SOIL  
   CHEMISTRY      - Fertilization      ... 92,257  
                                  Soil chemistry      ... 225,257
- 7 FISH CULTURE  
     Induced and artificial  
          breeding      ... 12,17,8,123,280  
          General      13,45,73,111,213,220,272  
     Freshwater fish culture... 2,40,42,46,74,101,167,  
    211,248  
     Brackishwater fish  
          culture      ... 67,299  
          Aquarium culture      ... 302
- 8 FISH EGGS LARVAE AND      ... 16,32,126,166,205,222,235,  
   JUVENILES      240,261,292
- 9 FISHERIES BIOLOGY AND      ... 20,21,22,33,36,37, 41,46,47,  
   POPULATION DYNAMICS      49,51,70,76,89,102,123,147,  
    150,156,160,161,175,188,219,  
    224,230,276
- 10 FISHERIES MANAGEMENT  
     General      ... 6,43,44,47,56,100,124,169,273  
     Extension education      ... 24



11 FISHERIES STATISTICS	...	169
12 FISHERIES SURVEYS AND INVESTIGATIONS	...	25, 43, 55, 62, 80, 91, 104, 117, 144, 249
13 FISHERY ECONOMICS	...	66, 250
14 FISHING CRAFTS AND FISHING AIDS	...	278, 295
15 FISHING METHODS AND EARS		
General	...	1, 46, 75, 228
Nets and net fishing	...	14, 94, 234
16 FISH MORTALITY	...	84, 103, 158
17 FISH PATHOLOGY		
Fish pathology	...	54, 99, 130, 170, 184, 189, 191, 194, 203, 209, 221, 229, 247, 254, 256, 267, 284, 285, 286, 288
Shell fish	...	194, 287
18 FISH POISONING AND TOXICITY	...	7, 152, 166, 201, 215, 217, 266
19 FISH SEED	...	13
20 FISH TECHNOLOGY	...	27, 39, 57, 58, 95, 140, 149, 164, 212, 279, 297
21 GENERAL REPORTS	...	136, 204
22 GENETICS	...	11
23 HYDROGRAPHY, METEOROLOGY AND GENERAL ECOLOGY	...	
Inland waters	...	114, 143, 186, 187, 193, 207, 245, 258, 259, 298, 305
Marine waters	...	173, 214, 252, 253, 270, 290

<u>Nataya</u> 1976, No. 2	...	145,
1977, No. 3	...	162, 206, 219, 237, 290, 293.
<u>Nataya Bharati</u> 1978, <u>10</u> (11-12)	...	133, 141, 144, 146, 154, 157, 162, 163, 170, 171, 185, 226, 227, 282
<u>Nat. Acad. Sci. Letters</u> 1978 <u>1</u> (5)	...	139
<u>1</u> (8)	...	137
<u>1</u> (9)	...	176
<u>1</u> (10)	...	284
Natural Sciences Journal, Marathwad and University, Aurangabad , 1976, <u>15</u> (8)	...	275
<u>Hykos</u> : 1976, <u>15</u> (142)	...	142, 199, 217, 218.
<u>Proceedings of the Seminar on the Ecology and Fisheries of Freshwater Reservoirs. Sponsored by ICAR at the CIFRI, Barrackpore, November 27-29, 1262, 1978</u>	...	135
<u>Proceedings of the Symposium on Warm Water Zooplankton, Special Publication, National Institute of Oceanography, Goa, 1977.</u>	...	172
<u>Proc. Indian Acad. Sci.</u> 1978, <u>81A</u> (1) ..	...	175, 195, 236
<u>81B</u> (2) ...	...	134
<u>Proc. Indian Nat. Sci. Acad.</u> 1975 <u>41</u> B(1) ...	...	161, 200
<u>Proc. Nat. Acad. Sci., India</u> 1977 <u>41A</u> (1) ..	...	256 & 285
1977, <u>47</u> B(2) ...	...	126 & 257



Res.Bull.Panjab Univ.1974 25(1-II) ... 184

Sci & Cult.1978, 44(5) ... 158.  
44(7) ... 181,183,286 & 288  
44(10) ... 267

Seafd.export J., 1975 7(2) ... 242  
 1975 7(8) ... 241  
 1978 10(4) ... 131 & 250  
 1978 10(5) ... 246  
 1978 10(6) ... 289 & 295  
 1978 10(7) ... 169 & 249

Souvenir,Dairy Unit of ... 192 & 272  
 Don-Bosco,Krishnanagar 1978

# IV TAXONOMIC INDEX

(Based on the taxonomic terms of the fishes, frogs, prawns and crabs occurring in the title and also in the body of the paper. The names of other groups appear as per their taxonomic status in the Animal kingdom. Names of the authorities have been omitted from taxonomic terms).

Sl.No.	Species	Serial No.	Sub.no.
1	2	3	4
1	<u>Amphipnous</u> (Monopterus)	231	11
	<u>cuchia</u>		
2	<u>Anabas testudineus</u>	74, 106	3b, 11
3	<u>Anchoviella</u> sp.	273	24 a
4	<u>Anguilla nebulosa</u>	183	15 a
5	<u>Aorichthys aor</u>	40	3b
6	<u>A. seenghala</u>	40	3b
7	<u>A. macronotacanthus</u>	87	40
8	<u>Bagarius bagarius</u>	40	3b
9	<u>Balitora mysorensis</u>	206	12a
10	<u>Barbus carnaticus</u>	90	49
11	<u>Barilius</u> sp.	158	28, 42,
12	<u>B. bendelisis</u>	291	13a
13	<u>B. bola</u>	291	13a
14	<u>B. vagra</u>	291	13a
15	<u>Bufo andersoni</u>	165	49
16	<u>B. hololius</u>	86	11
17	<u>B. kellartii</u>	86	11
18	<u>B. melanostictus</u>	86	11
19	<u>B. microtympanum</u>	86	11
20	<u>B. parietalis</u>	86	11
21	<u>Callula obscura</u>	86	11
22	<u>C. olivacea</u>	86	11
23	<u>C. picta</u>	86	11
24	<u>C. pulchra</u>	86	11
25	<u>C. triangularis</u>	86	11
26	<u>Caranx</u> sp.	273	24a
27	<u>Carangoides malabaricus</u>	303	12a
28	<u>C. talamparoides</u>	303	12a
29	<u>Carcharias melanopterus</u>	279	18
30	<u>Catla catla</u>	9, 12, 24, 36, 48, 103, 161, 164, 219	1, 3a, 3b, 10B, 13a, 15b, 18, 24C 42
31	<u>Channa gachua</u>	260	11
32	<u>C. marulius</u>	54, 70, 90	1, 17a, 49
33	<u>C. punctatus</u>	15, 96, 97, 203, 212, 254, 266	11, 17a, 18, 44, 48



1	2	3	4
34	<u>C.striatus</u>	116	13A
35	<u>Cirrhhina mrigala</u>	12, 23, 48, 65, 87, 102, 103, 107, 164	1, 3a, 3b, 11, 13A, 18, 42, 49
36	<u>Clarias batrachus</u>	40, 68, 79, 90, 106, 119, 121, 127, 134, 176, 208, 209, 267	3b, 10A, 11, 13, 17a, 49
37	<u>C.dussumieri</u>	40	3b
38	<u>Coilia dussumieri</u>	58	18, 49
39	<u>C.fasciata</u>	232	11
40	<u>Ctenopharyngodon idella</u>	211	3b
41	<u>Cybiu guttatus</u>	194	15b
42	<u>Cyprinus carpio</u>	47, 50, 87, 102, 158, 211	1, 3b, 24a, 26, 42, 49
43	<u>Dasyatis imbricata</u>	87	49
44	<u>Ebrosia falcata</u>	168	12a, 15a
45	<u>Eigenmannia virescens</u>	283	13
46	<u>Etroplus suratensis</u>	301	49
47	<u>Gadusia chupra</u>	41, 150	1
48	<u>Gazza sp.</u>	191	17a
49	<u>Gazza achlamys</u>	277	15a
50	<u>G.minuta</u>	277	15a
51	<u>Hara jerdoni</u>	38	12a, 15a
52	<u>Harpodon nehereus</u>	140, 273	18, 24 a
53	<u>Heteropneustes fossilis</u>	5, 30, 40, 50, 77, 105, 106, 137, 176, 189, 23	3b, 11, 13, 17a, 28, 49
54	<u>Hilsa ilisha</u>	237,	7c
55	<u>Hilsa toli</u>	285	17a
56	<u>Horabagrus brachyosoma</u>	40	3b
57	<u>Hypophthalmichthys molitrix</u>	211	3b
58	<u>Ichthyophis beddomii</u>	85	15a
59	<u>Ilisha kampani</u>	243	12a
60	<u>I.melastoma</u>	243	11
61	<u>Ixalus glandulosus</u>	86	11
62	<u>I.opisthorhodus</u>	86	11
63	<u>I.saxicola</u>	86	11
64	<u>I.signatus</u>	86	11
65	<u>I.variabilis</u>	86	11
66	<u>Johnius dussumeri</u>	69	49
67	<u>Labeo bata</u>	103	42
68	<u>L.calbasu</u>	19, 76, 161, 164, 276	1, 12a, 18
69	<u>L.fimbriatus</u>	161	1
70	<u>L.gonius</u>	19, 147	1, 12a, 18

71	<u>L.rohita</u>	9, 12, 18, 24, 36, 48, 65, 87, 103, 107, 140, 164, 211, 232, 288	1, 3a, 3b, 10b, 11, 13A, 17a, 18, 24C 42, 49
72	<u>Lactarius lactarius</u>	27, 69	18, 49
73	<u>Lates calcarifer</u>	31, 51	1, 13A
74	<u>Leiognathus</u> sp.	273	24a
75	<u>L.berbis</u>	190	12a
76	<u>L.bindus</u>	190	12a
77	<u>L.blochii</u>	190	12a
78	<u>L.brevirostris</u>	190	12a
79	<u>L.daura</u>	190	12a
80	<u>L.dussumieri</u>	190	12a
81	<u>L.elongatus</u>	190	12a
82	<u>L.equulus</u>	190	12a
83	<u>L.faxiatus</u>	190	12a
84	<u>L.jonesi</u>	190	12a
85	<u>L.leuciscus</u>	190	12a
86	<u>L.lineolatus</u>	190	12a
87	<u>L.smithursti</u>	190	12a
88	<u>L.splendens</u>	190	12a
89	<u>Lepidocephalus berdmorei</u>	293	12a, 15a
90	<u>L.candofurcatus</u>	293	12a, 15a
91	<u>L.guntea</u>	293	12a, 15a
92	<u>Lizza macrolepis</u>	255	11
93	<u>L.parsa</u>	255	11
94	<u>Macrobrachium lamarrei</u>	24, 49	1, 3b, 24C.
95	<u>Macrobrachium rosenbergii</u>	71	11
96	<u>Macrobrachium malcolmsonii</u>	242	39
97	<u>Macrognathus aculeatus</u>	81	11
98	<u>Metapenaeus affinis</u>	33, 167, 194	3b, 15a, 15b
99	<u>M.dobsonii</u>	33, 69, 194	15a, 15b, 49
100	<u>M.monoceros</u>	33	15a
101	<u>Mugil cephalus</u>	11, 16, 20, 21, 22, 89, 155, 156	1, 2, 49, 50
102	<u>Muraenichthys vermiciformes</u>	229	17a
103	<u>Mystus gulio</u>	130	17a
104	<u>M.vittatus</u>	118	11
105	<u>Nemipterus japonicus</u>	34, 69	19b, 49
106	<u>Notopterus notopterus</u>	97, 161, 276	1, 11



107	<u>Osteobrama vigorsii</u>	161	1
108	<u>Osteomugil curnegius</u>	255	11
109	<u>Pampus argenteus</u>	18, 228	228, 49
110	<u>Pangasius pangasius</u>	40	3b
111	<u>Pangasius pangasius godavari</u>	40	3b
112	<u>P.p.upiensis</u>	40	3b
113	<u>Paramonaopsis acclivirostris</u>	292	2
114	<u>P.stylifera</u>	33, 69, 87	15a, 49
115	<u>Parastromateus niger</u>	221	3b
116	<u>Penaes indicus</u>	26, 33, 69, 194	15a, 15b, 19b, 49
117	<u>P.merguiensis</u>	33	15a
118	<u>P.monodon</u>	299	3c
119	<u>Periophthalmus waltoni</u>	274	15a, 15b
120	<u>Psilorhynchus sucatio</u>	145	15a
121	<u>Puntius sp.</u>	158	28, 42
122	<u>P.conchoniis</u>	159	28
123	<u>P.kolus</u>	161	1
124	<u>P.pulchellus</u>	161	1
125	<u>P.sarana</u>	79, 113, 161, 276	1, 11
126	<u>Rana hexadactyla</u>	149, 175	1, 18, 49
127	<u>R.tigrina</u>	57, 126, 166,	2, 13c, 18, 44, 49
128	<u>Rasbora daniconius</u>	285	17a
129	<u>Rastrelliger kanagurta</u>	224, 27, 34, 222,	1, 2, 15a, 18, 19b, 49
130	<u>Rhinomugil corsula</u>	276	4
131	<u>Rita rita</u>	188, 276	1
132	<u>Sardinella longiceps</u>	34, 174, 194	15b, 49
133	<u>Schizothorax</u>	158	28, 42
134	<u>    sp.</u>	297	18
135	<u>Securidodon sp.</u>	18	49
136	<u>S.poleogerrah</u>	87	49
137	<u>S.sorakowah</u>	87	49
138	<u>Scomberomorus guttatus</u>	18, 87	49
139	<u>Secutor ruconius</u>	191	17a
140	<u>S.insidiator</u>	191	17a
141	<u>Silonopangasius childreni</u>	40	3b
142	<u>Stromateus argenteus</u>	87	49
143	<u>Thynnus thynnus</u>	285	17a
144	<u>Tilapia mossambica</u>	50, 69, 195, 196, 200	11, 28, 44
145	<u>Tor sp.</u>	201	49
146	<u>T.putitora</u>	161	1
		123, 158, 160	1, 3a, 28, 42
147	<u>T.tor</u>	230	
148	<u>Trichurus sp.</u>	9, 230	1, 10b
149	<u>W.    </u>	34	19b
150	<u>Xenododon cancella</u>	40, 164	3b, 18
		79, 184	11, 17a

## SERIAL INDEX

(Serials are abbreviated according to FAO's World list of periodicals for Aquatic Sciences and Fisheries and Insdoc's Directory of Indian Scientific Periodicals, 1968. Reference is given to the serial number of the entry).

<u>Periodical Index, July-December, 1978</u> V.17(3-4)	...	
<u>Agra Univ. J. Res. (Sci)</u> 1976, <u>25</u> (1)	...	150
<u>25</u> (2)	...	188 & 276
<u>25</u> (3)	...	189
<u>Aquaculture</u> 1978, <u>13</u> (3)	...	268
1978, <u>13</u> (4)	...	211, 287
<u>Barrackpore, CIFRI, Annual Report, 1977</u>	...	136
<u>Bull. Dept. Mar. Sci. Univ. Cochin.</u> 1975, <u>7</u> (4)	...	130, 178, 197, 198, 215, 244, 245, 251, 255, 259, 261, 263, 264, 298 & 299
<u>Bull. mar. Sci.</u> 1978, <u>28</u> (3)	...	303
<u>CIFE Newsletter</u> May-June, 1978	...	167, 248, 280 & 302
<u>Cochin, Central Marine Fisheries Research Institute, 1977</u> Summer Institute in Breeding and Rearing of Marine Prawns, held at CIFRI, from 11th May to 9th <del>May</del> June, 1977. (CIFRI Special Publication No.		
<u>Curr. Sci.</u> 1978, <u>47</u> (14)	...	221 & 223
<u>47</u> (15)	..	127 & 254
<u>47</u> (16)	...	229 & 291
<u>47</u> (17)	...	191, 304
<u>47</u> (21)	...	203, 209, 222 & 230
<u>47</u> (22)	...	149
<u>47</u> (23)	..	277



<u>Fish Technol.</u> 1978, <u>15</u> (1)	...	140, 142, 164, 182, 212, 228, 234, 247, 278, 279, 297.
<u>Hydrobiologia</u> 1978, <u>59</u> (1)	...	186, 187.
<u>59</u> (3)	...	143 and 207
<u>60</u> (2)	...	271 & 294
<u>60</u> (3)	...	201
<u>Indian fmg.</u> 1978, <u>28</u> (3)	...	220
<u>Indian J. Anim. Sci.</u> 1978, <u>48</u> (6)	...	160
<u>48</u> (10)	...	230
<u>Indian J. Biochem. Biophys</u> 1978, <u>15</u> (4)	...	281
<u>Indian J. Ecol.</u> 1978, <u>5</u> (1)	...	159, 239 & 305
<u>Indian J. Environ. Hlth.</u> 1978, <u>20</u> (3)	...	213
<u>Indian J. exp. Biol.</u> 1978 <u>16</u> (3)	...	232
<u>16</u> (6)	...	166, 208, 260 & 266
<u>16</u> (7)	...	165, 196, 231 & 283
<u>J. mar. biol. Ass. India</u> , 1974 <u>16</u> (3)	...	138, 174, 179, 193, 204, 224, 233, 252, 265, 274, 292 & 296.
1975, <u>17</u> (1)	...	132, 177, 180, 190, 194, 205, 210, 214, 235, 240, 241, 253, 258, 262, 270, 300
<u>J. Bombay nat. Hist. Soc.</u> 1978 <u>75</u> (1)	...	147, 152, 153.
<u>J. Indian Soc. Soil Sci.</u> 1978, <u>26</u> (3)	...	225
<u>Mahasagar</u> 1978, <u>11</u> (1-2).	...	128, 129, 155, 156, 202, 216, 269, 273, 301.

24 MATHEMATICAL AND STATISTICAL METHODS	...	2,115
25 MISCELLANEOUS	...	120,157,241
26 MORPHOLOGY, ANATOMY AND HISTOLOGY		
Fish	...	31,48,116,176,267,281,283,291
Frog	...	57,223
27 PACKAGING, TRANSPORTATION AND MARKETING		
Transportation	...	26,34,182
28 PHYSIOLOGY	...	5,15,23,30,65,71,79,81,86,96,97,106,107,113,118,127,134,137,195,196,200,201,208,231,232,237,238,255,260,275
29 PLANKTON		
General	...	290
Productivity	...	8,55,131,186,187,258,290,298
Zooplankton	...	32,172,202,205,216,221,235,251,261,263,271,296
Phytoplankton	...	82,93,109,125,128,129,148,152
30 SEA WEEDS	...	138,265
31 SHELL FISH FISHERIES	...	4,131,242,246,289
32 SYMPOSIA, CONGRESSES, CONFERENCES ETC.	...	135,151,172



## 33 SYSTEMATICS

Fishes

... 19,38,64,98,168,190,206,  
243,244,293,303

Crustaceans

... 35

## 34 WATER POLLUTION

... 50,53,60,158,159

## 35 WEEDS AND WEED CONTROL

... 10,61,108,122,173,177,178,  
179,180,197,199,210, 215,  
218,239,259,264,294,300,304

---











